


# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details


---

<b>Fixture Dimensions</b>	D 27.6" x H 16.9"
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Walnut, Polished Brass
<b>Shade Details</b>	White Fabric
<b>Material</b>	Brass, Walnut Wood, Fabric
<b>Hanging Length</b>	Suspension chain length is 50cm/19.7", the length can be specified according to needs

---

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 37.4" x H 16.9"
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Walnut, Polished Brass
<b>Shade Details</b>	White Fabric
<b>Material</b>	Brass, Walnut Wood, Fabric
<b>Hanging Length</b>	Suspension chain length is 50cm/19.7", the length can be specified according to needs

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 45.3" x H 19.7"
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Walnut, Polished Brass
<b>Shade Details</b>	White Fabric
<b>Material</b>	Brass, Walnut Wood, Fabric
<b>Hanging Length</b>	Suspension chain length is 50cm/19.7", the length can be specified according to needs