


SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 4.7" x H 11.8"
Light source	Integrated LED 10W
Voltage	AC 110-240V 3000k
CRI(Ra)	80CRI
Mounting	Table
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000hours
Dimming	Dimming is not supported
Finishes	Black
Shade Details	Black
Material	Die-cast aluminum, PC
Wire Length	59"
Wire Type	Wire with switch plug

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 4.7" x H 23.6"
Light source	Integrated LED
	10W
Voltage	AC 110-240V
	3000k
CRI(Ra)	80CRI
Mounting	Table
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000hours
Dimming	Dimming is not supported
Finishes	Black
Shade Details	Black
Material	Die-cast aluminum, PC
Wire Length	59"
Wire Type	Wire with switch plug

SPECIFICATION SHEET



SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 4.7" x H 35.4"
Light source	Integrated LED
	10W
Voltage	AC 110-240V
	3000k
CRI(Ra)	80CRI
Mounting	Table
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000hours
Dimming	Dimming is not supported
Finishes	Black
Shade Details	Black
Material	Die-cast aluminum, PC
Wire Length	59"
Wire Type	Wire with switch plug