




Standard Finishes:

Finishes: Gold, Clear, Amber

Specifications:

Dimensions: $\varnothing$ 15.7" x H 15.7" / Dia 40cm x H 40cm

Light Source: E14 or E12 (Not included)

Power: MAX 15W incandescent bulb or LED equivalent.

Control method: Compatible with common wall switch (not included).

Dimming: Compatible with dimmable light bulbs (not included).

Material & Voltage


Material: Metal, Crystal

Voltage: AC 110-240V

Cables & Warranty:

Suspension rod is 11.8"(30cm), and can be spliced as needed.

Environment: Indoor



Standard Finishes:

Finishes: Gold, Clear, Amber

Specifications:

Dimensions: Ø 19.7" x H 16.9" / Dia 50cm x H 43cm

Light Source: E14 or E12 (Not included)

Power: MAX 15W incandescent bulb or LED equivalent.

Control method: Compatible with common wall switch (not included).

Dimming: Compatible with dimmable light bulbs (not included).

Material & Voltage


Material: Metal, Crystal

Voltage: AC 110-240V

Cables & Warranty:

Suspension rod is 11.8"(30cm), and can be spliced as needed.

Environment: Indoor



Standard Finishes:

Finishes: Gold, Clear, Amber

Specifications:

Dimensions: Ø 25.6" x H 17.7" / Dia 65cm x H 45cm

Light Source: E14 or E12 (Not included)

Power: MAX 15W incandescent bulb or LED equivalent.

Control method: Compatible with common wall switch (not included).

Dimming: Compatible with dimmable light bulbs (not included).

Material & Voltage


Material: Metal, Crystal

Voltage: AC 110-240V

Cables & Warranty:

Suspension rod is 11.8"(30cm), and can be spliced as needed.

Environment: Indoor



Sciolari Crystal Chandelier

Standard Finishes:

Finishes: Gold, Clear, Amber

Specifications:

Dimensions: Ø 31.5" x H 19.7" / Dia 80cm x H 50cm

Light Source: E14 or E12 (Not included)

Power: MAX 15W incandescent bulb or LED equivalent.

Control method: Compatible with common wall switch (not included).

Dimming: Compatible with dimmable light bulbs (not included).

Compliant with North America, Australia, Europe and Middle East Certification.

Material & Voltage

Material: Metal, Crystal

Voltage: AC 110-240V

Cables & Warranty:

Suspension rod is 11.8" (30cm), and can be spliced as needed.

Warranty: 2 years

Environment: Indoor

Standard Lead time: 4-7 weeks

Customization available upon request.

Made and assembled in China.