


SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 5.9" x H 15.7"
Light source	Integrated LED
Wattage	15W
Voltage	AC 110-240V (Wired version)
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black, White.
Shade Details	Black, White.
Material	Zinc sheet, Acrylic
Cord Length	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 5.9" x H 23.6"
Light source	Integrated LED
Wattage	15W
Voltage	AC 110-240V (Wired version)
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black, White.
Shade Details	Black, White.
Material	Zinc sheet, Acrylic
Cord Length	No

SPECIFICATION SHEET



SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 5.9" x H 31.5"
Light source	Integrated LED
Wattage	15W
Voltage	AC 110-240V (Wired version)
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black, White.
Shade Details	Black, White.
Material	Zinc sheet, Acrylic
Cord Length	No