


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 11" x H 2"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~12W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 15" x H 2.4"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~15W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 23.6" x H 18.5" (11"*1+15"*1)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~20W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 29.1" x H 23.6" (11"*2+15"*1)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~20W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 33.1" x H 25.2" (11"*1+15"*2)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~20W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 44.9" x H 23.6" (11"*2+15"*2)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~25W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 48" x H 26.8" (11"*3+15"*2)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~25W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 53.5" x H 26.8" (11"*2+15"*3)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~25W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 62.2" x H 26.8" (11"*3+15"*3)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~25W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 62.2" x H 35.4" (11"*4+15"*3)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~30W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 62.2" x H 35.4" (11"*4+15"*4)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~30W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Wall
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm White (3000K), Cool White (6000K), Daylight (4000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Black, White
<b>Shade Details</b>	Black, White
<b>Material</b>	Metal, Acrylic
<b>Wire Length</b>	NO
<b>Wire Type</b>	NO