


SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 9.4" x H 16.8"
Light source	Integrated LED
Wattage	~25W
Voltage	AC 110-240V
Color Temperature	Based on the purchase of light bulbs
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	Based on bulb life (we do not supply bulbs)
Dimming	Dimming is not supported
Finishes	Polished Brass
Glass Details	Opaque
Material	Brass, Glass
Wire Length	19.7"
Wire Type	Polished Brass Suspension rod

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 31.6" x W 6" x H 4.7"
Light source	Integrated LED
Wattage	~25W
Voltage	AC 110-240V
Color Temperature	Based on the purchase of light bulbs
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	Based on bulb life (we do not supply bulbs)
Dimming	Dimming is not supported
Finishes	Polished Brass
Glass Details	Opaque
Material	Brass, Glass
Wire Length	19.7"
Wire Type	Polished Brass Suspension rod

SPECIFICATION SHEET



SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 41.3" x W 6" x H 4.7"
Light source	Integrated LED
Wattage	~25W
Voltage	AC 110-240V
Color Temperature	Based on the purchase of light bulbs
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	Based on bulb life (we do not supply bulbs)
Dimming	Dimming is not supported
Finishes	Polished Brass
Glass Details	Opaque
Material	Brass, Glass
Wire Length	19.7"
Wire Type	Polished Brass Suspension rod