


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	$\text{Ø} 17.7'' \times \text{H} 9.8''$
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(
<b>Finishes</b>	White.
<b>Shade Details</b>	White.
<b>Material</b>	Mulberry paper, Metal.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	$\text{Ø} 25.6'' \times H 11.0''$
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (
<b>Finishes</b>	White.
<b>Shade Details</b>	White.
<b>Material</b>	Mulberry paper, Metal.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 34.6" x H 13.8"
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(
<b>Finishes</b>	White.
<b>Shade Details</b>	White.
<b>Material</b>	Mulberry paper, Metal.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 17.7" + Ø 25.6"
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(
<b>Finishes</b>	White.
<b>Shade Details</b>	White.
<b>Material</b>	Mulberry paper, Metal.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	$\varnothing 17.7" + \varnothing 25.6" + \varnothing 34.6"$
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(
<b>Finishes</b>	White.
<b>Shade Details</b>	White.
<b>Material</b>	Mulberry paper, Metal.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	$\text{Ø} 17.7'' + \text{Ø} 17.7'' + \text{Ø} 25.6'' + \text{Ø} 34.6'' + \text{Ø} 34.6''$
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (
<b>Finishes</b>	White.
<b>Shade Details</b>	White.
<b>Material</b>	Mulberry paper, Metal.
<b>Wire Length</b>	The standard length of the suspended wire is 59" (150 cm) and the length is adjustable.