


SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

| | |
|-----------------------------|--|
| Fixture Dimensions | D 15.7"/D 23.6"/ D 31.5" |
| Light source | Integrated LED |
| Wattage | 10W |
| Voltage | AC 110-240V |
| Color Temperature | 3000k |
| CRI(Ra) | 80CRI |
| Mounting | Ceiling |
| Driver Required | Yes |
| Optional Color Temps | Warm White (3000K), Cool White (6000K), Daylight (4000K) |
| LED Rated Life | 30000hours |
| Dimming | Dimming is not supported |
| Finishes | Gold |
| Shade Details | Clear |
| Material | Brass, Glass |
| Wire Length | 59" |
| Wire Type | White Coaxial Wire |

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

| | |
|-----------------------------|--|
| Fixture Dimensions | D 15.7" + D 23.6", D 23.6" + D 31.5" |
| Light source | Integrated LED |
| Wattage | 40W |
| Voltage | AC 110-240V |
| Color Temperature | 3000k |
| CRI(Ra) | 80CRI |
| Mounting | Ceiling |
| Driver Required | Yes |
| Optional Color Temps | Warm White (3000K), Cool White (6000K), Daylight (4000K) |
| LED Rated Life | 30000hours |
| Dimming | Dimming is not supported |
| Finishes | Gold |
| Shade Details | Clear |
| Material | Brass, Glass |
| Wire Length | 59" |
| Wire Type | White Coaxial Wire |

SPECIFICATION SHEET



SPECIFICATION DETAILS

*For custom options, consult factory for details

| | |
|-----------------------------|--|
| Fixture Dimensions | D 15.7" + D 23.6" + D 31.5", D 23.6" + D 31.5" + D 39.4" |
| Light source | Integrated LED |
| Wattage | 60W |
| Voltage | AC 110-240V |
| Color Temperature | 3000k |
| CRI(Ra) | 80CRI |
| Mounting | Ceiling |
| Driver Required | Yes |
| Optional Color Temps | Warm White (3000K), Cool White (6000K), Daylight (4000K) |
| LED Rated Life | 30000hours |
| Dimming | Dimming is not supported |
| Finishes | Gold |
| Shade Details | Clear |
| Material | Brass, Glass |
| Wire Length | 59" |
| Wire Type | White Coaxial Wire |