


SPECIFICATION SHEET

Style A

15+15=30heads




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 70.9" x H 59"(30heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.

SPECIFICATION SHEET

Style B




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 78.7" x H 47.2"(186heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.

SPECIFICATION SHEET

Style C




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 70.9" x H 22" (100heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches (not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.

SPECIFICATION SHEET

Style D




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 137.8" x H 30.7" (138heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.

SPECIFICATION SHEET

Style E




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 78.7" x H 25" (63heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.

SPECIFICATION SHEET

Style F




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 78.7" x H 110.2" (98heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	NO

SPECIFICATION SHEET

Style G




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 59" x H 177.2" (249heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	NO

SPECIFICATION SHEET

Style H




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 63" x H 25" (55heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.

SPECIFICATION SHEET

Style I




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 98.4" x H 13.8" (60heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.

SPECIFICATION SHEET

Style J




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 65.2" x H 24.8" (81heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches (not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.

SPECIFICATION SHEET

Style K



SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 82.7" x H 32.7"(90heads)
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Clear
Shadow Details	Clear
Material	Acrylic, Iron, Metal, Stainless steel.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.