


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	∅ 7.9" x H 9.8"
Light source	E26 or E27 (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches (not included)
Finishes	Dark walnut, Black
Shade Details	Orange, White
Material	Glass, Wood, Metal
Wire Length	The retractable elastic cable is standard 59" (150cm) long and is adjustable in length.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	∅ 11.8" x H 9.8"
Light source	E26 or E27 (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches (not included)
Finishes	Dark walnut, Black
Shade Details	Orange, White
Material	Glass, Wood, Metal
Wire Length	The retractable elastic cable is standard 59" (150cm) long and is adjustable in length.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	Ø 7.1" x H 9.8"
Light source	E26 or E27 (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Dark walnut, Black
Shade Details	Orange, White
Material	Glass, Wood, Metal
Wire Length	The retractable elastic cable is standard 59" (150cm) long and is adjustable in length.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	Ø 11.8" x H 11.8"
Light source	E26 or E27 (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches (not included)
Finishes	Dark walnut, Black
Shade Details	Orange, White
Material	Glass, Wood, Metal
Wire Length	The retractable elastic cable is standard 59" (150cm) long and is adjustable in length.