


SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

| | |
|---------------------------|--|
| Fixture Dimensions | Ø 23.6" x H 12.6" |
| Light source | E26 or E27 (bulb not included) |
| Wattage | MAX 40W incandescent bulb or LED equivalent. |
| Voltage | AC 110-240V |
| Mounting | Hardwired. |
| Dimming | Compatible with dimmable bulbs (bulb not included) |
| Control method | Compatible with common wall switches(not included) |
| Finishes | Nickel, Walnut color. |
| Shade Details | White, Orange. |
| Material | Metal, Glass, Wood. |
| Rod Length | Suspension rod is 3.9"+7.9", and can be spliced as needed. |

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

| | |
|---------------------------|--|
| Fixture Dimensions | Ø 27.6" x H 12.6" |
| Light source | E26 or E27 (bulb not included) |
| Wattage | MAX 40W incandescent bulb or LED equivalent. |
| Voltage | AC 110-240V |
| Mounting | Hardwired. |
| Dimming | Compatible with dimmable bulbs (bulb not included) |
| Control method | Compatible with common wall switches (not included) |
| Finishes | Nickel, Walnut color. |
| Shade Details | White, Orange. |
| Material | Metal, Glass, Wood. |
| Rod Length | Suspension rod is 3.9"+7.9", and can be spliced as needed. |

SPECIFICATION SHEET



SPECIFICATION DETAILS

*For custom options, consult factory for details

| | |
|---------------------------|---|
| Fixture Dimensions | $\varnothing 35.4'' \times H 12.6''$ |
| Light source | E26 or E27 (bulb not included) |
| Wattage | MAX 40W incandescent bulb or LED equivalent. |
| Voltage | AC 110-240V |
| Mounting | Hardwired. |
| Dimming | Compatible with dimmable bulbs (bulb not included) |
| Control method | Compatible with common wall switches (not included) |
| Finishes | Nickel, Walnut color. |
| Shade Details | White, Orange. |
| Material | Metal, Glass, Wood. |
| Rod Length | Suspension rod is $3.9''+7.9''$, and can be spliced as needed. |