


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 11.8" x H 59.1" (7heads)
Light source	G4 (bulb not included)
Wattage	~35W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 11.8" x H 59.1" (7heads)
Light source	G4 (bulb not included)
Wattage	~35W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches (not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 15.7" x H 59.1" (10heads)
Light source	G4 (bulb not included)
Wattage	~50W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 15.7" x H 59.1" (10heads)
Light source	G4 (bulb not included)
Wattage	~50W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches (not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 19.7" x H 78.7" (16heads)
Light source	G4 (bulb not included)
Wattage	~80W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 19.7" x H 98.4" (16heads)
Light source	G4 (bulb not included)
Wattage	~80W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches (not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details


---

Fixture Dimensions	D 23.6" x H 78.7" (22heads)
Light source	G4 (bulb not included)
Wattage	~110W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches (not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

---

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 23.6" x H 98.4" (22heads)
Light source	G4 (bulb not included)
Wattage	~110W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 27.6" x H 78.7" (28heads)
Light source	G4 (bulb not included)
Wattage	~140W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 27.6" x H 118.1" (28heads)
Light source	G4 (bulb not included)
Wattage	~140W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 31.5" x H 98.4" (40heads)
Light source	G4 (bulb not included)
Wattage	~200W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches (not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 31.5" x H 137.8" (40heads)
Light source	G4 (bulb not included)
Wattage	~200W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches (not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 39.4" x H 98.4" (64heads)
Light source	G4 (bulb not included)
Wattage	~320W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches (not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 39.4" x H 157.4" (64heads)
Light source	G4 (bulb not included)
Wattage	~320W
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold
Shade Details	White
Material	Metal, Iron, Ceramics
Rod Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.