


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 15.7" x H 59.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~24 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Black
<b>Shade Details</b>	White
<b>Material</b>	Silicone, Brass
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 23.6" x H 59.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~24 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Black
<b>Shade Details</b>	White
<b>Material</b>	Silicone, Brass
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 23.6" x H 59.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~24 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Black
<b>Shade Details</b>	White
<b>Material</b>	Silicone, Brass
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 15.7"+Ø 23.6" x H 59.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~24 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Black
<b>Shade Details</b>	White
<b>Material</b>	Silicone, Brass
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 23.6"+Ø 31.5" x H 59.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~24 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Black
<b>Shade Details</b>	White
<b>Material</b>	Silicone, Brass
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 7.9"+Ø 15.7"+Ø 23.6" x H 59.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~24 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Black
<b>Shade Details</b>	White
<b>Material</b>	Silicone, Brass
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 15.7"+Ø 23.6"+Ø 31.5" x H 59.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~24 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Black
<b>Shade Details</b>	White
<b>Material</b>	Silicone, Brass
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	$\varnothing 7.9'' + \varnothing 15.7'' + \varnothing 23.6'' + \varnothing 31.5'' \times H 59.1''$
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~24 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Black
<b>Shade Details</b>	White
<b>Material</b>	Silicone, Brass
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 7.9"+Ø 15.7"+Ø 23.6"+Ø 31.5"+Ø 39.4" x H 78.7"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~24 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Black
<b>Shade Details</b>	White
<b>Material</b>	Silicone, Brass
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	∅ 7.9"+∅ 15.7"+∅ 23.6"+∅ 31.5"+∅ 39.4"+∅ 47.2" x H 118.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~24 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Black
<b>Shade Details</b>	White
<b>Material</b>	Silicone, Brass
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.