


# SPECIFICATION SHEET




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø19.7" x H 15.7"(5 heads)
<b>Light source</b>	E14.
<b>Wattage</b>	15W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Ceiling.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (
<b>Finishes</b>	Brass
<b>Shade Details</b>	Clear Crystal.
<b>Material</b>	Brass, Crystal.
<b>Rod Length</b>	Suspension chain length is 30cm/11.8", the length can be specified according to needs

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø23.6" x H 17.7" (6 heads)
<b>Light source</b>	E14.
<b>Wattage</b>	15W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Ceiling.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(
<b>Finishes</b>	Brass
<b>Shade Details</b>	Clear Crystal.
<b>Material</b>	Brass, Crystal.
<b>Rod Length</b>	Suspension chain length is 30cm/11.8", the length can be specified according to needs

# SPECIFICATION SHEET



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø23.6" x H 17.7"(8 heads)
<b>Light source</b>	E14.
<b>Wattage</b>	15W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Ceiling.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (
<b>Finishes</b>	Brass
<b>Shade Details</b>	Clear Crystal.
<b>Material</b>	Brass, Crystal.
<b>Rod Length</b>	Suspension chain length is 30cm/11.8", the length can be specified according to needs