


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 16.5" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~30 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 24.4" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~40 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 32.3" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~50 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 40.2" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~60 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 16.5" + 24.4" x H 15.7" D 24.4" + 32.3" x H 15.7" D 32.3" + 40.2" x H 15.7"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~70 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 31.9" x H 11.8"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~20 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 47.2" x H 11.8"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~30 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 33.5" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~20 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 47.2" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~30 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 16.5" x H 5.9" D 24.4" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~30 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 32.3" x H 5.9" D 40.2" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~50 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 31.9" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~20 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 49.2" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~30 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 15.7" + 23.6" x H 23.6" D 23.6" + 31.5" x H 23.6" D 31.5" + 39.4" x H 23.6"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~62 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 15.7" + 23.6" + 31.5" x H 23.6"
	D 23.6" + 31.5" + 39.4" x H 23.6"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~82 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.