


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 15.7" x H 7.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 12W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Dimmable
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K)
<b>Control method</b>	Compatible with common wall switches(not included).
<b>Finishes</b>	Gold, Black.
<b>Shadow Details</b>	White.
<b>Material</b>	Silicone, Metal.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 23.6" x H 11.8"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 36W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Dimmable
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K)
<b>Control method</b>	Compatible with common wall switches(not included).
<b>Finishes</b>	Gold, Black.
<b>Shadow Details</b>	White.
<b>Material</b>	Silicone, Metal.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 31.5" x H 11.8"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 48W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Dimmable
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K)
<b>Control method</b>	Compatible with common wall switches(not included).
<b>Finishes</b>	Gold, Black.
<b>Shadow Details</b>	White.
<b>Material</b>	Silicone, Metal.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 43.3" x W 0.8" x H 12.6"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 30W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Dimmable
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K)
<b>Control method</b>	Compatible with common wall switches (not included).
<b>Finishes</b>	Gold, Black.
<b>Shadow Details</b>	White.
<b>Material</b>	Silicone, Metal.
<b>Rod Length</b>	Suspension rod length 50cm / 19.7", and can be spliced as needed.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 59.1" x W 0.8" x H 12.6"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 42W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Dimmable
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included).
<b>Finishes</b>	Gold, Black.
<b>Shadow Details</b>	White.
<b>Material</b>	Silicone, Metal.
<b>Rod Length</b>	Suspension rod length 50cm / 19.7", and can be spliced as needed.