


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 59" x D 4.7" (14-Balls)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~5 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Gold.
<b>Shade Details</b>	White.
<b>Material</b>	Metal, Aluminum, Plastic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 78.7" x D 4.7" (18-Balls)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~5 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Gold.
<b>Shade Details</b>	White.
<b>Material</b>	Metal, Aluminum, Plastic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 98.4 x D 4.7" (23-Balls)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~5 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Gold.
<b>Shade Details</b>	White.
<b>Material</b>	Metal, Aluminum, Plastic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 137.9" x D 4.7" (32-Balls)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~5 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Gold.
<b>Shade Details</b>	White.
<b>Material</b>	Metal, Aluminum, Plastic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 236.2" x D 4.7" (55-Balls)
<b>Light source</b>	Integrated LED
<b>Wattage</b>	Total power ~5 watts
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	50000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Gold.
<b>Shade Details</b>	White.
<b>Material</b>	Metal, Aluminum, Plastic.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.