


SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 27.6" x H 13.8" (30 heads)
Light source	G4. (bulb not included)
Wattage	~ 3W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs
Control method	Compatible with common wall switches(
Finishes	Gold.
Shade Details	White.
Material	Metal, Iron, Acrylic
Rod Length	Suspension rod length 50cm / 19.7", and can be spliced as needed.

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 32.7" X H 13.8" (45 heads)
Light source	G4. (bulb not included)
Wattage	~ 3W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs
Control method	Compatible with common wall switches(
Finishes	Gold.
Shade Details	White.
Material	Metal, Iron, Acrylic
Rod Length	Suspension rod length 50cm / 19.7", and can be spliced as needed.

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 35.8" x H 13.8" (54 heads)
Light source	G4. (bulb not included)
Wattage	~ 3W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs
Control method	Compatible with common wall switches (
Finishes	Gold.
Shade Details	White.
Material	Metal, Iron, Acrylic
Rod Length	Suspension rod length 50cm / 19.7", and can be spliced as needed.

SPECIFICATION SHEET



SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 40.6" X H 13.8" (63 heads)
Light source	G4. (bulb not included)
Wattage	~ 3W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs
Control method	Compatible with common wall switches(
Finishes	Gold.
Shade Details	White.
Material	Metal, Iron, Acrylic
Rod Length	Suspension rod length 50cm / 19.7", and can be spliced as needed.