


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 11.8" x W 11.8" x H 18.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	15W
<b>Voltage</b>	Solar power storage
<b>Dimming</b>	Dimming is not supported
<b>CRI(Ra)</b>	80CRI
<b>Control method</b>	In line ON / OFF switch.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Frosted white.
<b>Material</b>	Stainless Steel, Glass.
<b>Cord Length</b>	No

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	∅ 11.8" x W 11.8" x H 29.5"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	15W
<b>Voltage</b>	Solar power storage
<b>Dimming</b>	Dimming is not supported
<b>CRI(Ra)</b>	80CRI
<b>Control method</b>	In line ON / OFF switch.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Frosted white.
<b>Material</b>	Stainless Steel, Glass.
<b>Cord Length</b>	No

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 11.8" x W 11.8" x H 39.4"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	15W
<b>Voltage</b>	Solar power storage
<b>Dimming</b>	Dimming is not supported
<b>CRI(Ra)</b>	80CRI
<b>Control method</b>	In line ON / OFF switch.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Frosted white.
<b>Material</b>	Stainless Steel, Glass.
<b>Cord Length</b>	No