


# SPECIFICATION SHEET



## DESCRIPTION


A sophisticated fusion of iron, glass, and wood, this Vakkerlight pendant exudes elegance and harmony. With its linear balance and soft luminous globes, it creates an atmosphere of serene refinement, perfect for modern and classic interiors alike.

## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>SUK</b>	VKIP-58553-01
<b>Fixture Dimensions</b>	L 35.4" x W 5.9" x H 14.2"
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Walnut color
<b>Shade Details</b>	White
<b>Material</b>	Metal, Brass, Wood, Glass
<b>Rod Length</b>	Suspension rod is 19.7", and can be spliced as needed.
<b>Warranty</b>	2 Years
<b>Certification</b>	Compatible with North America, Saudi Arabia, Europe, Australia Certification.

# SPECIFICATION SHEET



## DESCRIPTION

A sophisticated fusion of iron, glass, and wood, this Vakkerlight pendant exudes elegance and harmony. With its linear balance and soft luminous globes, it creates an atmosphere of serene refinement, perfect for modern and classic interiors alike.


## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>SUK</b>	VKIP-58553-03
<b>Fixture Dimensions</b>	L 35.4" x W 5.9" x H 14.2"
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Walnut color
<b>Shade Details</b>	White
<b>Material</b>	Metal, Brass, Wood, Glass
<b>Rod Length</b>	Suspension rod is 19.7", and can be spliced as needed.
<b>Warranty</b>	2 Years
<b>Certification</b>	Compatible with North America, Saudi Arabia, Europe, Australia Certification.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 47.2" x W 5.9" x H 14.2"
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches( not included)
<b>Finishes</b>	Walnut color
<b>Shade Details</b>	White
<b>Material</b>	Metal, Brass, Wood, Glass
<b>Rod Length</b>	Suspension rod is 19.7", and can be spliced as needed.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	L 47.2" x W 5.9" x H 14.2"
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Walnut color
<b>Shade Details</b>	White
<b>Material</b>	Metal, Brass, Wood, Glass
<b>Rod Length</b>	Suspension rod is 19.7", and can be spliced as needed.