


H 10cm / 3.9"




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 7.9" x W 7.9" x H 3.9"
Light source	Integrated LED
Wattage	10W
Voltage	AC 110-240V (Wired version) / DC 3.2V (Solar-powered version).
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black
Shade Details	Black
Material	Metal, Acrylic.
Cord Length	No

H 15cm / 5.9"



W 30cm / 11.8"


L 30cm / 11.8"

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 11.8" x W 11.8" x H 5.9"
Light source	Integrated LED
Wattage	15W
Voltage	AC 110-240V (Wired version) / DC 3.2V (Solar-powered version).
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black
Shade Details	Black
Material	Metal, Acrylic.
Cord Length	No

H 20cm / 7.9"




L 40cm / 15.7"

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 15.7" x W 15.7" x H 7.9"
Light source	Integrated LED
Wattage	22W
Voltage	AC 110-240V (Wired version) / DC 3.2V (Solar-powered version).
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black
Shade Details	Black
Material	Metal, Acrylic.
Cord Length	No

H 35cm / 13.8"



W 50cm / 19.7"

L 50cm / 19.7"

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 19.7" x W 19.7" x H 13.8"
Light source	Integrated LED
Wattage	30W
Voltage	AC 110-240V (Wired version) / DC 3.2V (Solar-powered version).
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Compatible with common push switches (not included).
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Black
Shade Details	Black
Material	Metal, Acrylic.
Cord Length	No