


SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 7.9" x H 11.8"
Light source	Integrated LED
Wattage	5W
Voltage	DC 3.7V Solar power storage
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Handheld Remote Switch
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Gray black.
Shade Details	White.
Material	Stainless Steel, PC
Cord Length	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 7.9" x H 17.7"
Light source	Integrated LED
Wattage	5W
Voltage	DC 3.7V Solar power storage
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Handheld Remote Switch
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Gray black.
Shade Details	White.
Material	Stainless Steel, PC
Cord Length	No

SPECIFICATION SHEET



SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 7.9" x H 29.5"
Light source	Integrated LED
Wattage	5W
Voltage	DC 3.7V Solar power storage
Dimming	Dimming is not supported
CRI(Ra)	80CRI
Control method	Handheld Remote Switch
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Finishes	Gray black.
Shade Details	White.
Material	Stainless Steel, PC
Cord Length	No