


SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 6.3" x W 4.7" x H 13.8"
Light source	Integrated LED
Wattage	~15 Watts
Voltage	AC 110-240V (Wired version).
Dimming	Not supported
CRI(Ra)	90+CRI
Moisture resistance	IP 65 moisture-proof grade, waterproof, do not immerse in water.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches (not included), or remote control dimmer switch.
Finishes	Black.
Shade Details	Clear.
Material	Metal, Iron, Acrylic.

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 6.3" x W 4.7" x H 19.7"
Light source	Integrated LED
Wattage	~15 Watts
Voltage	AC 110-240V (Wired version).
Dimming	Not supported
CRI(Ra)	90+CRI
Moisture resistance	IP 65 moisture-proof grade, waterproof, do not immerse in water.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches (not included), or remote control dimmer switch.
Finishes	Black.
Shade Details	Clear.
Material	Metal, Iron, Acrylic.

SPECIFICATION SHEET



SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 6.3" x W 4.7" x H 27.6"
Light source	Integrated LED
Wattage	~15 Watts
Voltage	AC 110-240V (Wired version).
Dimming	Not supported
CRI(Ra)	90+CRI
Moisture resistance	IP 65 moisture-proof grade, waterproof, do not immerse in water.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches (not included), or remote control dimmer switch.
Finishes	Black.
Shade Details	Clear.
Material	Metal, Iron, Acrylic.