


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 5.9" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 5W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	White.
<b>Shadow Details</b>	White.
<b>Material</b>	Resin, Fiber.
<b>Rod Length</b>	59" Adjustable hanging height cable, which can be lengthened as required.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 7.9" x H 7.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 10W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	White.
<b>Shadow Details</b>	White.
<b>Material</b>	Resin, Fiber.
<b>Rod Length</b>	59" Adjustable hanging height cable, which can be lengthened as required.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 11.8" x H 11.8"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 15W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	White.
<b>Shadow Details</b>	White.
<b>Material</b>	Resin, Fiber.
<b>Rod Length</b>	59" Adjustable hanging height cable, which can be lengthened as required.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 15.7" x H 15.7"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 20W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	White.
<b>Shadow Details</b>	White.
<b>Material</b>	Resin, Fiber.
<b>Rod Length</b>	59" Adjustable hanging height cable, which can be lengthened as required.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 19.7" x H 19.7"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 25W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	White.
<b>Shadow Details</b>	White.
<b>Material</b>	Resin, Fiber.
<b>Rod Length</b>	59" Adjustable hanging height cable, which can be lengthened as required.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 23.6" x H 23.6"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 25W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	White.
<b>Shadow Details</b>	White.
<b>Material</b>	Resin, Fiber.
<b>Rod Length</b>	59" Adjustable hanging height cable, which can be lengthened as required.