
SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	∅ 4.3" x H 7.9"∅ 5.9" x H 10.6" ∅ 7.1" x H 12.8" ∅ 9.8" x H 17.7"
Light source	G9 or E26 (bulb not included)
Wattage	MAX5W-40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	White.
Shade Details	White.
Material	Metal, Alabaster.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	∅ 11.8" × H 59.1"(3 Heads)
Light source	G9 or E26 (bulb not included)
Wattage	MAX5W-40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	White.
Shade Details	White.
Material	Metal, Alabaster.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	∅ 13.8″ × H 78.7″(5 Heads)
Light source	G9 or E26 (bulb not included)
Wattage	MAX5W-40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	White.
Shade Details	White.
Material	Metal, Alabaster.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	⌀ 17.7" × H 98.4"(7 Heads)
Light source	G9 or E26 (bulb not included)
Wattage	MAX5W-40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	White.
Shade Details	White.
Material	Metal, Alabaster.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	∅ 19.7″ × H 118.1″(9 Heads)
Light source	G9 or E26 (bulb not included)
Wattage	MAX5W-40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	White.
Shade Details	White.
Material	Metal, Alabaster.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	⌀ 19.7" × H 137.8"(11 Heads)
Light source	G9 or E26 (bulb not included)
Wattage	MAX5W-40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	White.
Shade Details	White.
Material	Metal, Alabaster.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

SPECIFICATION SHEET



SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	∅ 21.7″ × H 157.5″(15 Heads)
Light source	G9 or E26 (bulb not included)
Wattage	MAX5W-40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	White.
Shade Details	White.
Material	Metal, Alabaster.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.