


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 7.9" x H 6.5"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	White, Black
<b>Shade Details</b>	White, Black
<b>Material</b>	Glass, Steel, Electrical components
<b>Wire Length</b>	59"
<b>Wire Type</b>	Black Coaxial Wire

# SPECIFICATION SHEET

---



H 150cm / 59.1"

∅ 30cm / 11.8"


## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 11.8" x H 59.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	White, Black
<b>Shade Details</b>	White, Black
<b>Material</b>	Glass, Steel, Electrical components
<b>Wire Length</b>	59"
<b>Wire Type</b>	Black Coaxial Wire

# SPECIFICATION SHEET

---



H 150cm / 59.1"

∅ 30cm / 11.8"


## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimmensions</b>	D 11.8" x H 59.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	White, Black
<b>Shade Details</b>	White, Black
<b>Material</b>	Glass, Steel, Electrical components
<b>Wire Length</b>	59"
<b>Wire Type</b>	Black Coaxial Wire

# SPECIFICATION SHEET

---



H 150cm / 59.1"


Ø 30cm / 11.8"

## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 11.8" x H 59.1"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	White, Black
<b>Shade Details</b>	White, Black
<b>Material</b>	Glass, Steel, Electrical components
<b>Wire Length</b>	59"
<b>Wire Type</b>	Black Coaxial Wire

# SPECIFICATION SHEET



H 200cm / 78.7"


Ø 50.8cm / 20"

## SPECIFICATION DETAILS

\*For custom options, consult factory for details

Fixture Dimensions	D 20" x H 78.7"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	White, Black
Shade Details	White, Black
Material	Glass, Steel, Electrical components
Wire Length	59"
Wire Type	Black Coaxial Wire

# SPECIFICATION SHEET




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 23.6" x H 78.7"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	White, Black
<b>Shade Details</b>	White, Black
<b>Material</b>	Glass, Steel, Electrical components
<b>Wire Length</b>	59"
<b>Wire Type</b>	Black Coaxial Wire

# SPECIFICATION SHEET



H 250cm / 98.4"


Ø 75.5cm / 29.7"

## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 29.7" x H 98.4"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	White, Black
<b>Shade Details</b>	White, Black
<b>Material</b>	Glass, Steel, Electrical components
<b>Wire Length</b>	59"
<b>Wire Type</b>	Black Coaxial Wire

# SPECIFICATION SHEET



H 250cm / 98.4"

Ø 75.5cm / 29.7"

## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 29.7" x H 98.4"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	White, Black
<b>Shade Details</b>	White, Black
<b>Material</b>	Glass, Steel, Electrical components
<b>Wire Length</b>	59"
<b>Wire Type</b>	Black Coaxial Wire