


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

|                             |   |
|-----------------------------|---|
| <b>Fixture Dimensions</b>   | Ø 31.5" x H 21.3"   |
| <b>Light source</b>         | Integrated LED  |
| <b>Wattage</b>              | ~5 W  |
| <b>Voltage</b>              | AC 110-240V   |
| <b>Color Temperature</b>    | 3000K   |
| <b>CRI(Ra)</b>              | 80CRI   |
| <b>Mounting</b>             | Ceiling   |
| <b>Driver Required</b>      | Yes   |
| <b>Optional Color Temps</b> | Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K) |
| <b>LED Rated Life</b>       | 30000 hours   |
| <b>Dimming</b>              | Dimming is not supported                                      |
| <b>Finishes</b>             | Black, Gold.  |
| <b>Shade Details</b>        | Transparent.  |
| <b>Material</b>             | Brass, Acrylic.   |
| <b>Rod Length</b>           | Rod lengths range between 50cm –100cm                         |
| <b>Rod Type</b>             | Black / Rod   |

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

|                             |   |
|-----------------------------|---|
| <b>Fixture Dimensions</b>   | Ø 35.4" x H 22.1"   |
| <b>Light source</b>         | Integrated LED  |
| <b>Wattage</b>              | ~5 W  |
| <b>Voltage</b>              | AC 110-240V   |
| <b>Color Temperature</b>    | 3000K   |
| <b>CRI(Ra)</b>              | 80CRI   |
| <b>Mounting</b>             | Ceiling   |
| <b>Driver Required</b>      | Yes   |
| <b>Optional Color Temps</b> | Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K) |
| <b>LED Rated Life</b>       | 30000 hours   |
| <b>Dimming</b>              | Dimming is not supported                                      |
| <b>Finishes</b>             | Black, Gold   |
| <b>Shade Details</b>        | Transparent.  |
| <b>Material</b>             | Brass, Acrylic.   |
| <b>Rod Length</b>           | Rod lengths range between 50cm –100cm                         |
| <b>Rod Type</b>             | Black / Rod   |

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

|                             |   |
|-----------------------------|---|
| <b>Fixture Dimensions</b>   | Ø43.3" x H 22.1"  |
| <b>Light source</b>         | Integrated LED  |
| <b>Wattage</b>              | ~5 W  |
| <b>Voltage</b>              | AC 110-240V   |
| <b>Color Temperature</b>    | 3000K   |
| <b>CRI(Ra)</b>              | 80CRI   |
| <b>Mounting</b>             | Ceiling   |
| <b>Driver Required</b>      | Yes   |
| <b>Optional Color Temps</b> | Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K) |
| <b>LED Rated Life</b>       | 30000 hours   |
| <b>Dimming</b>              | Dimming is not supported                                      |
| <b>Finishes</b>             | Black, Gold   |
| <b>Shade Details</b>        | Transparent.  |
| <b>Material</b>             | Brass, Acrylic.   |
| <b>Rod Length</b>           | Rod lengths range between 50cm –100cm                         |
| <b>Rod Type</b>             | Black / Rod   |