


SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 10.4" x W 5.5" x H 1.2" / D 6.3" + D 8.7"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 10.4" x W 5.5" x H 1.2" / D 7.9" + D 11.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 12.8" x W 7.9"x H 1.2"/ D 18.9" + D 8.7"+ D 6.3"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 16.5" x W 11.0" x H 1.2" / D 11.8" + D 18.9" + D 7.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 12.8" x W 7.9" x H 1.2" / D 11.8" + D 7.9" + D 6.3"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 12.8" x W 7.9"x H 1.2"/ D 7.9" + D 7.9"+ D 6.3"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 26.4" x W 11.0" x H 1.2" / D 18.9" + D 18.9" + D 11.8" + D 7.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 20.1" x W 7.9"x H 1.2"/ D 7.9" + D 7.9"+ D 6.3"+ D 6.3"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 43.6" x W 11.0" x H 1.2" / D 18.9" + D 8.7" + D 8.7" + D 6.3" + D 6.3"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 25.6" x W 7.9" x H 1.2" / D 7.9" + D 7.9" + D 7.9" + D 6.3" + D 6.3"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET




SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 26.4" x W 11.0" x H 1.2" / D 11.8" + D 11.8" + D 11.8" + D 7.9" + D 7.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No

SPECIFICATION SHEET



SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 16.5" x W 11.0" x H 1.2" / D 11.8" + D 11.8" + D 7.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Matte black, Matte green, Matte white, Light gray
Process	Paint.
Material	High molecular polymer, Resin, Metal
Wire Length	No
Wire Type	No