


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 31.9" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	59"
<b>Wire Type</b>	White Coaxial Wire

# SPECIFICATION SHEET

---



---

125cm / 49.2"


## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 49.2" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	59"
<b>Wire Type</b>	White Coaxial Wire

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 31.9" x H 11.8"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	59"
<b>Wire Type</b>	White Coaxial Wire

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 47.2" x H 11.8"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	59"
<b>Wire Type</b>	White Coaxial Wire

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 33.5" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	59"
<b>Wire Type</b>	White Coaxial Wire

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 47.2" x H 5.9"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~5 W
<b>Voltage</b>	AC 110-240V
<b>Color Temperature</b>	3000K
<b>CRI(Ra)</b>	80CRI
<b>Mounting</b>	Ceiling
<b>Driver Required</b>	Yes
<b>Optional Color Temps</b>	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
<b>LED Rated Life</b>	30000 hours
<b>Dimming</b>	Dimming is not supported
<b>Finishes</b>	Brass.
<b>Shade Details</b>	White.
<b>Material</b>	Brass, Acrylic.
<b>Wire Length</b>	59"
<b>Wire Type</b>	White Coaxial Wire