


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 15.8" x H 8.7" (Model A*3)
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	White.
<b>Shade Details</b>	White.
<b>Material</b>	Mulberry Silk, Steel wire, Metal.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 7.9" x H 15.8" (Model D*3)
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	White.
<b>Shade Details</b>	White.
<b>Material</b>	Mulberry Silk, Steel wire, Metal.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

---

<b>Fixture Dimensions</b>	H 59"
<b>Light source</b>	E26 or E27 (bulb not included)
<b>Wattage</b>	MAX 40W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	White.
<b>Shade Details</b>	White.
<b>Material</b>	Mulberry Silk, Steel wire, Metal.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

---