


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 3.1" x H 21.7" Ø 3.1" x H 25.6"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 5W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K)
<b>Control method</b>	Compatible with common wall switches (
<b>Finishes</b>	Gold.
<b>Shadow Details</b>	White.
<b>Material</b>	Metal, Alabaster.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 7.9" x H 59"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 5W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Gold.
<b>Shadow Details</b>	White.
<b>Material</b>	Metal, Alabaster.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

---


<b>Fixture Dimensions</b>	$\varnothing 11.8'' \times H 67''$
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 5W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K)
<b>Control method</b>	Compatible with common wall switches(
<b>Finishes</b>	Gold.
<b>Shadow Details</b>	White.
<b>Material</b>	Metal, Alabaster.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

---

# SPECIFICATION SHEET

---

Ø35cm/13.8"



200cm/78.7"


## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 13.8" x H 78.7"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 5W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K)
<b>Control method</b>	Compatible with common wall switches
<b>Finishes</b>	Gold.
<b>Shadow Details</b>	White.
<b>Material</b>	Metal, Alabaster.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 17.7" x H 91"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 5W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Gold.
<b>Shadow Details</b>	White.
<b>Material</b>	Metal, Alabaster.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 19.7" x H 98.4"
<b>Light source</b>	Integrated LED
<b>Wattage</b>	~ 5W
<b>Voltage</b>	AC 110-240V
<b>Dimming</b>	Not supported
<b>CRI(Ra)</b>	90+ CRI
<b>Mounting</b>	Hardwired.
<b>LED Rated Life</b>	30000 hours
<b>Color Temperature</b>	Warm Light (3000K)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Gold.
<b>Shadow Details</b>	White.
<b>Material</b>	Metal, Alabaster.
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.