


# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 2" x H 2.4"
<b>Light source</b>	G4 (bulb not included)
<b>Wattage</b>	MAX 3W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(
<b>Finishes</b>	Black, White.
<b>Shade Details</b>	Black, White.
<b>Material</b>	Metal, Plastic.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 2" x H 2.4"
<b>Light source</b>	G4 (bulb not included)
<b>Wattage</b>	MAX 3W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (
<b>Finishes</b>	Black, White.
<b>Shade Details</b>	Black, White.
<b>Material</b>	Metal, Plastic.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 2" x H 2.4"
<b>Light source</b>	G4 (bulb not included)
<b>Wattage</b>	MAX 3W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (
<b>Finishes</b>	Black, White.
<b>Shade Details</b>	Black, White.
<b>Material</b>	Metal, Plastic.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details


---

<b>Fixture Dimensions</b>	Ø 2" x H 2.4"
<b>Light source</b>	G4 (bulb not included)
<b>Wattage</b>	MAX 3W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (
<b>Finishes</b>	Black, White.
<b>Shade Details</b>	Black, White.
<b>Material</b>	Metal, Plastic.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

---

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	Ø 2" x H 2.4"
<b>Light source</b>	G4 (bulb not included)
<b>Wattage</b>	MAX 3W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (
<b>Finishes</b>	Black, White.
<b>Shade Details</b>	Black, White.
<b>Material</b>	Metal, Plastic.
<b>Wire Length</b>	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.