


# SPECIFICATION SHEET

---




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 47.2" x H 78.7"
<b>Light source</b>	G9. (bulb not included).
<b>Wattage</b>	~ 5W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Clear.
<b>Material</b>	Acrylic, Metal, Plastic
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET

---



## SPECIFICATION DETAILS


\*For custom options, consult factory for details

---

<b>Fixture Dimensions</b>	D 47.2" x H 110"
<b>Light source</b>	G9. (bulb not included).
<b>Wattage</b>	~ 5W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Clear.
<b>Material</b>	Acrylic, Metal, Plastic
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

---

# SPECIFICATION SHEET




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 35.4" x H 118"
<b>Light source</b>	G9. (bulb not included).
<b>Wattage</b>	~ 5W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Clear.
<b>Material</b>	Acrylic, Metal, Plastic
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 35.4" x H 157.5"
<b>Light source</b>	G9. (bulb not included).
<b>Wattage</b>	~ 5W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Clear.
<b>Material</b>	Acrylic, Metal, Plastic
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.
<b>Warranty</b>	2 Years
<b>Certification</b>	Compatible with North America, Saudi Arabia, Europe, Australia Certification

# SPECIFICATION SHEET




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 35.4" x H 43.3"
<b>Light source</b>	G9. (bulb not included).
<b>Wattage</b>	~ 5W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Clear.
<b>Material</b>	Acrylic, Metal, Plastic
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.
<b>Warranty</b>	2 Years
<b>Certification</b>	Compatible with North America, Saudi Arabia, Europe, Australia Certification

# SPECIFICATION SHEET




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 35.4" x H 78.7"
<b>Light source</b>	G9. (bulb not included).
<b>Wattage</b>	~ 5W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Clear.
<b>Material</b>	Acrylic, Metal, Plastic
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.
<b>Warranty</b>	2 Years
<b>Certification</b>	Compatible with North America, Saudi Arabia, Europe, Australia Certification

# SPECIFICATION SHEET




## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 35.4" x H 110.2"
<b>Light source</b>	G9. (bulb not included).
<b>Wattage</b>	~ 5W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches (not included)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Clear.
<b>Material</b>	Acrylic, Metal, Plastic
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.

# SPECIFICATION SHEET



## SPECIFICATION DETAILS

\*For custom options, consult factory for details

<b>Fixture Dimensions</b>	D 59.1" x H 157.5"
<b>Light source</b>	G9. (bulb not included).
<b>Wattage</b>	~ 5W incandescent bulb or LED equivalent.
<b>Voltage</b>	AC 110-240V
<b>Mounting</b>	Hardwired.
<b>Dimming</b>	Compatible with dimmable bulbs (bulb not included)
<b>Control method</b>	Compatible with common wall switches(not included)
<b>Finishes</b>	Black.
<b>Shade Details</b>	Clear.
<b>Material</b>	Acrylic, Metal, Plastic
<b>Wire Length</b>	The standard length of the cord is 59" (150 cm), the length is adjustable.